

(有)セキイハガネ 在庫表、取扱寸法表

寸法表

(丸)

定尺6M

鋼種	S25C	S35C	S45C
寸法	16	16	16
	19	19	19
	22	22	22
	25	25	25
	28	28	28
	30	30	30
	32	32	32
	34	34	34
	36	36	36
	38	38	38
	40	40	40
	42	42	42
	44	44	44
	46	46	46
	48	48	48
	50	50	50
	55	55	55
	60	60	60
	65	65	65
	70	70	70
	75	75	75
	80	80	80
	85	85	85
	90	90	90
	95	95	95
	100	100	100
	110	110	110
	120	120	120
	130	130	130
	140	140	140
	150	150	150
	160	160	160
	170	170	170
	180	180	180
	190	190	190
	200	200	200
	210	210	210

機械構造用炭素鋼

鋼種	S25C	S35C	S45C
	220	220	220
	230	230	230
	250	250	250
	260	260	260
	270	270	270
	280	280	280
	290	290	290
	300	300	300
	310	310	310
	320	320	320
	330	330	330
	340	340	340
	350	350	350
	360	360	360
	370	370	370
	380	380	380
	390		390
	400	400	400
	410		410
	420		420
	430		430
	440		440
	450		450
	460		460
	470		470
	480		480
	490		500
	500		510
	510		530
	530		550
	550		570
			600

* S50Cのフラットバーも在庫しております。
各サイズにつきましては、お問い合わせください。

S45C磨き材につきましてもお問い合わせ下さい

* S50Cプレート品,S45C溶断も承ります。お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺6M

一般構造用鋼

鋼種	SS400
寸法	13
	16
	19
	20
	22
	25
	28
	30
	32
	34
	36
	38
	40
	42
	44
	46
	48
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150
	160
	170
	180
	190
	200

* フラットバー材につきましては各サイズ在庫がございます。

* 磨き材につきましてもお問い合わせ下さい

* SS400プレート品、溶断も承ります。お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺6M

クロムモリブデン鋼 (肌焼鋼)

鋼種	SCM415H	SCM420H
寸法		
	16	
	19	
	22	
	25	25
	28	28
	30	30
	32	32
	34	34
	36	36
	38	38
	40	40
	42	42
	44	44
	46	46
	48	48
	50	50
	55	55
	60	60
	65	65
	70	70
	75	75
	80	80
	85	85
	90	90
	95	95
	100	100
	110	110
	120	120
	130	130
	140	140
	150	150
	160	160
	170	170
	180	180
	190	190
	200	200

鋼種	SCM415H	SCM420H
寸法	210	210
	220	220
	230	230
	240	240
	250	250
	260	260
	270	270
	280	280
	290	290
	300	300
		310
		320
		330
		340
		350
		360
		370
		380
		390
		400
		430

* プレート品も承ります。お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺6M

クロムモリブデン鋼 (強靱鋼)

鋼種	SCM435H	SCM440H
寸法	13	
	16	16
	19	19
	22	22
	25	25
	28	28
	30	30
	32	32
	34	34
	36	36
	38	38
	40	40
	42	42
	44	44
	46	46
	48	48
	50	50
	55	55
	60	60
	65	65
	70	70
	75	75
	80	80
	85	85
	90	90
	95	95
	100	100
	110	110
	120	120
	130	130
	140	140
	150	150
	160	160
	170	170
	180	180
	190	190
	200	200

鋼種	SCM435H	SCM440H
寸法	210	210
	220	220
	230	230
	240	240
	250	250
	260	260
	270	270
	280	280
	290	290
	300	300
	310	310
	320	320
	330	330
	340	340
	350	350
		360
		370
		380
		390
	400	400
		410
		420
		430
		440
		450
		460
		470
		480
		490
		500
		510
		530
		550
		570

* プレート品、SCM440溶断も承ります。お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺6M

軸受鋼

鋼種	SUJ2
寸法	13
	16
	19
	22
	25
	28
	30
	32
	34
	36
	38
	40
	42
	44
	46
	48
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150
	160
	170
	180
	190
	200
	210
	220
	230
	240
	250
	260
	270
	280
	290
	300

* パイプ材についてはお問い合わせ下さい。

(有)セキイハガネ

寸 法 表

(丸)
定尺6M

ニッケルクロムモリブデン鋼

鋼種	SNCM220H	SNCM420H	SNCM439	SNCM630
寸法	19	16	13	13
	22	19	16	16
	25	22	19	19
	28	25	22	22
	32	28	25	28
	36	30	28	32
	38	32	32	34
	42	34	34	36
	46	36	36	38
	50	38	38	42
	55	42	42	46
	60	46	44	48
	65	48	46	50
	70	50	48	55
	75	55	50	60
	80	60	55	65
	85	65	60	70
	90	70	65	75
	95	75	70	80
	100	80	75	85
	110	85	80	90
	120	90	85	95
	130	95	90	100
	140	100	95	110
	150	110	100	120
	160	120	110	130
	170	130	120	140
	180	140	130	150
	190	150	140	160
	200	160	150	170
	210	170	160	180
	220	180	170	190
	230	190	180	200
	250	200	190	220
	260	210	200	230
	280	220	210	250
	300	230	220	

鋼種	SNCM220H	SNCM420H	SNCM439	SNCM630
		240	230	
		250	240	
		260	250	
		270	270	
		280	280	
		290	290	
		300	300	
		320	310	
		340	320	
		400	330	
			340	
			350	
			360	
			380	
			390	
			400	
			410	
			420	

(有) セキイハガネ

寸法表

(丸)

窒化鋼

* 定尺6M

鋼種	SACM645-A	SACM645-QT
寸法	19	32
	22	38
	25	42
	28	46
	32	50
	36	55
	38	60
	42	65
	46	70
	50	75
	55	80
	60	85
	65	90
	70	95
	75	100
	80	110
	85	120
	90	130
	95	140
	100	150
	110	160
	120	170
	130	180
	140	190
	150	200
	160	210
	170	220
	180	
	190	
	200	
	210	
	220	
	230	
	240	
	250	
	260	
	270	
	280	
	290	
	300	
	310	
	320	
	330	

鋼種	SACM645-A	SACM645-QT
寸法	340	
	350	
	360	
	380	
	400	
	420	
	430	
	450	
	460	
	500	

* SACM645-QT→バレル炉による調質品

(有) セキイハガネ

寸法表

(丸)

S45C調質品

定尺6M

鋼種	MM45
寸法	22
	25
	28
	30
	32
	36
	38
	40
	42
	44
	46
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150

(有) セキイハガネ

寸法表

(丸)

定尺6M

SCM非調質鋼

鋼種	NH48MV
寸法	32
	36
	38
	40
	42
	44
	46
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150
	160
	170
	180
	190
	200

(有) セキイハガネ

寸法表

(丸)

* 定尺6M

ステンレス丸鋼

鋼種	SUS303	SUS304
寸法	13	13
	14	14
	16	16
	18	18
	19	19
	20	20
	22	22
	24	24
	25	25
	26	26
	28	28
	30	30
	32	32
	34	34
	35	35
	36	36
	38	38
	40	40
	42	42
	44	44
	45	45
	46	46
	48	48
	50	50
	55	55
	60	60
	65	65
	70	70
	75	75
	80	80
	85	85
	90	90
	95	95
	100	100
	110	110
	120	120
	130	130
	140	140
	150	150
	160	160
	170	170
	180	180
	190	190

鋼種	SUS303	SUS304
寸法	200	200
	210	210
	220	220
	230	230
	240	240
	250	250
	260	260
	270	270
	280	280
	290	290
	300	300
		320
		350
		360
		370
		380
		390
		400

細丸、平鋼、異形材につきましてはお問い合わせ下さい
* ロッド プレート品も承ります。お問い合わせ下さい。

9~16Dは酸洗肌、18~160Dはピーリング肌、170D以上はターニング肌。

(有) セキイハガネ

寸法表

(丸)

ステンレス丸鋼

* 定尺6M

鋼種	SUS403	SUS420J2
寸法	9	9
	10	10
	12	12
	13	13
	14	14
	16	16
	18	18
	19	19
	20	20
	22	22
	24	24
	25	25
	26	26
	28	28
	30	30
	32	32
	34	34
	35	35
	36	36
	38	38
	40	40
	42	42
	44	44
	45	45
	46	46
	48	48
	50	50
	55	55
	60	60
	65	65
	70	70
	75	75
	80	80
	85	85
	90	90
	95	95
	100	100
	110	110
	120	120
	130	130
	140	140
	150	150
	160	160

鋼種	SUS403	SUS420J2
寸法	170	170
	180	180
	190	190
	200	200
	210	210
	220	220
	230	230
	240	240
	250	250
	260	260
	270	270
	280	280
	300	300
	320	320
	340	340
	350	350

(有) セキイハガネ

寸法表

(丸)

ステンレス丸鋼

* 定尺6M

鋼種	SUS316	SUS630
寸法	9	16
	10	19
	12	22
	13	25
	14	28
	16	30
	18	32
	19	36
	20	38
	22	42
	24	46
	25	50
	26	55
	28	60
	30	65
	32	70
	34	75
	35	80
	36	85
	38	90
	40	95
	42	100
	44	110
	45	120
	46	130
	48	140
	50	150
	55	160
	60	75
	65	80
	70	85
	75	90
	80	95
	85	100
	90	110
	95	120
	100	130
	110	140
	120	150
	140	160
	150	
	160	
	170	

鋼種	SUS316	SUS630
寸法	180	
	190	
	200	
	210	
	220	
	230	
	240	
	250	
	260	

細丸、平鋼、異形材につきましてはお問い合わせ下さい

(有) セキイハガネ

寸法表

(丸)

定尺6M

ステンレス鋼

鋼種	SUS316L
寸法	16
	19
	22
	25
	28
	30
	32
	36
	38
	40
	42
	45
	46
	48
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150
	160
	180
	190

* その他ステンレス鋼(オーステナイト)(フェライト)(マルテンサイト)系の取扱いもございます。

* ロッド、細丸についてはお問い合わせ下さい。

(有)セキイハガネ

寸法表

(丸)
定尺4M

熱間金型用鋼

鋼種	SKD61
寸法	10
	13
	16
	19
	22
	25
	26
	28
	30
	32
	34
	36
	38
	40
	42
	44
	46
	48
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	102
	107
	112
	122
	127
	132
	137
	142
	152
	162
	172
	182
	185
	192
	202

鋼種	SKD61
寸法	212
	222
	232
	242
	252
	257
	262
	272
	282
	292
	302
	312
	322
	331
	344
	353
	360
	382
	392
	402
	422

* 本在庫表は丸棒のみの掲載ですが、平鋼につきましては
お客様のご要望により様々なサイズでの切断が
可能でございます。又、プレート加工品も承ります。
どうぞお気軽にお問い合わせください。

* 高性能ダイスト用鋼、改良、快削鋼につきましても取扱いがございます。

(有) セキイハガネ

寸法表

(丸)

定尺4M

冷間金型用鋼

鋼種	SKD11
寸法	10
	13
	16
	19
	22
	25
	26
	28
	30
	32
	34
	36
	38
	40
	42
	44
	46
	48
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	102
	112
	122
	132
	142
	152
	162
	172
	182
	192
	202
	212
	222
	232
	242

鋼種	SKD11
寸法	252
	262
	272
	282
	292
	302
	312
	322
	332
	342
	352
	362
	372
	382
	392
	405

* 本在庫表は丸棒のみの掲載ですが、平鋼につきましてはお客様のご要望により様々なサイズにて切断することが可能です。又、プレート加工品も承ります。どうぞお気軽にお問い合わせください。

* センタースロット、角材につきましても別途お問い合わせ下さい。

* 新冷間ダイス鋼、改良鋼も取り扱っております。

(有) セキイハガネ

寸法表

(丸)

定尺4M

冷間金型用鋼

鋼種	SKS3
寸法	13
	16
	19
	22
	25
	26
	28
	30
	32
	34
	36
	38
	40
	42
	46
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150
	162
	172
	182
	192
	202
	212
	222
	232
	242
	252
	262
	272

鋼種	SKS3
寸法	282
	292
	302
	312

* 本在庫表は丸棒のみの掲載ですが、平鋼につきましてはお客様のご要望により様々なサイズにて切断することが可能でございます。又、プレート加工品も承ります。どうぞお気軽にお問い合わせください。

* 角材につきましても別途お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺4M

冷間金型用鋼(炭素工具鋼)

鋼種	SK3
寸法	13
	16
	19
	22
	25
	28
	32
	34
	36
	38
	42
	46
	50
	55
	60
	65
	70
	75
	80
	85
	90
	95
	100
	110
	120
	130
	140
	150
	162
	172
	182
	192
	202
	212
	222
	232
	242
	252
	262
	272
	282
	292
	302

鋼種	SK3
寸法	312
	322
	332
	342
	352
	362
	382
	402
	432

* 本在庫表は丸棒のみの掲載ですが、平鋼につきましてはお客様のご要望により様々なサイズにて切断することが可能でございます。又、プレート加工品も承ります。どうぞお気軽にお問い合わせください。

* 角材につきましても別途お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺2M

冷間金型用鋼(センタレス)

鋼種	SK4-ロッド
寸法	1
	1.2
	1.5
	2
	2.5
	3
	3.5
	4
	4.5
	5
	6
	7
	8
	9
	10
	11
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	30

* 切断売り不可の為、定尺売りとなります。

(有) セキイハガネ

寸法表

(丸)

* 定尺4M

高速度工具鋼

鋼種	SKH51	SKH57
寸法	8	8
	9	9
	10	10
	11	11
	12	12
	13	13
	14	14
	15	15
	16	16
	17	18
	18	19
	19	20
	20	22
	21	24
	22	25
	23	26
	24	27
	25	28
	26	30
	27	32
	28	34
	30	36
	32	38
	34	40
	35	42
	36	44
	38	46
	40	48
	42	50
	44	55
	46	60
	48	65
	50	70
	53	75
	55	80
	60	85
	65	90
	70	95
	75	103
	80	112
	85	115
	90	120
	95	123

鋼種	SKH51	SKH57
寸法	100	130
	103	135
	112	142
	115	153
	122	155
	125	163
	128	178
	132	182
	135	205
	142	212
	145	255
	162	305
	172	313
	178	363
	203	
	255	

* 本在庫表は丸棒のみの掲載ですが、平鋼につきましてはお客様のご要望により様々なサイズにて切断することが可能です。又、プレート加工品、角材も承ります。どうぞお気軽にお問い合わせください。

* SKH55等、開発鋼種の取扱もごさいます。お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)
定尺4M

粉末高速度鋼

鋼種	SKH40
寸法	2(G)
	2.5(G)
	3(G)
	3.5(G)
	4(G)
	4.5(G)
	5(G)
	6
	6.2
	7
	8
	8.2
	9
	10
	10.2
	11
	12.2
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26
	28
	30
	32
	34
	36
	38
	40
	42
	44
	46
	48
	53

鋼種	SKH40
寸法	56
	58
	63
	66
	68
	73
	78
	83
	88
	93
	96
	98
	103
	112
	122
	130
	132
	142
	153
	162
	172
	182
	192
	203
	232

* 開発鋼種の取扱もございます。
お問い合わせ下さい。

(有) セキイハガネ

寸法表

(丸)

定尺4M

鋼種	P21改良	SUS420J2改良	SUS630改良
寸法	22	16	22
	26	22	32
	28	26	42
	32	28	60
	36	32	80
	38	36	90
	42	42	102
	46	46	122
	50	50	132
	55	55	152
	60	60	182
	65	65	202
	70	70	222
	75	75	282
	80	80	
	85	85	
	90	90	
	95	95	
	102	102	
	112	112	
	122	122	
	132	132	
	142	142	
	152	152	
	162	162	
	172	172	
	182	182	
	192	192	
	202	202	
	222		
	242		
	262		
	282		
	303		
	323		
	353		
	373		

プラスチック金型用鋼

鋼種	P21改良	SUS420J2改良	SUS630改良
	403		

本在庫表は丸棒のみの掲載ですが平鋼につきましてはお客様のご要望により様々なサイズにて切断することが可能です。又プレート加工品も承ります。どうぞお気軽にお問い合わせください。

* 開発鋼種、改良、快削鋼も取り扱っております。

(有) セキイハガネ

